# STATE OF NEBRASKA

#### DEPARTMENT OF NATURAL RESOURCES

### APPROVAL OF APPLICATION A-19630 AND PLAN OF RESERVOIR 20370

#### WATER DIVISION 1-C

### BACKGROUND

- 1. On April 1, 2019, Michael J. and Jeanette M. Hoyer filed in the Department of Natural Resources (Department) application A-19630 for a permit to impound water and plan of reservoir 20370 according to *Title 457 Neb. Admin. Code* Chapter 11.
- 2. Construction has been completed.

# ORDER

IT IS HEREBY ORDERED Application A-19630 and plan of reservoir 20370 are APPROVED subject to the following limitations and conditions:

- 1. The source of water is a tributary to Spring Creek.
- 2. The priority date is April 1, 2019.
- 3. The water to be stored under this appropriation is for the purpose of providing water for irrigation under storage use appropriation A-19632, a portion of which provides supplemental irrigation water to land authorized under natural-flow appropriation A-15274.
- 4. The amount of water that may be diverted shall not exceed 15.7 acre-feet per year to be stored in Hoyer Irrigation Reservoir located in the NE¼NE¼ of Section 27, Township 02 North, Range 06 West of the 6th P.M. in Nuckolls County.
- 5. Nebraska Revised Statutes § 46-241(5) states in part, "The owner or possessor of a reservoir or intentional underground water storage facility does not have the right to store water in such reservoir or facility during the time that such water is required downstream in ditches for direct irrigation or for any reservoir or facility holding a senior right. Every person who owns, controls, or operates a reservoir or intentional underground water storage facility, except political subdivisions of this state, shall be required to pass ... a portion of the measured inflows to furnish water for livestock ...."
- 6. The owner or possessor of the reservoir storing water pursuant to A-19630 shall have structural controls in place or other mechanical means to immediately release a portion of the measured inflows in such amounts and at such times if so ordered by the Department.

A-19630 P-20370 Hoyer Application & 457 Plan Approval ORD sw - 06072019 - 13401 - ord

- 7. A continuous recording device approved by the Department to monitor reservoir levels may be required if so ordered by the Department.
- 8. This appropriation is subject to the provisions of the Blue River Compact and the appropriator could be required to pass inflows if Compact flows are not being met.
- 9. The appropriator must comply with all relevant statutes. These relevant statutory requirements include, but are not limited to, the following:
  - A. Notify the Department of any change in ownership or address.
  - B. Receive written approval prior to taking any action that changes the storage capacity of this reservoir, plan of reservoir 20370 or the type of appropriation.
  - C. Assume liability for all damages due to leakage, overflow or structural failure of the structure.
  - D. Release a portion of the reservoir inflows for livestock where required, unless appropriator is a political subdivision.

# ADDITIONAL INFORMATION

Failure to comply with all laws and regulations pertaining to surface water appropriations and any orders issued by the Director of the Department of Natural Resources may result in the cancellation of the appropriation, temporary closing of the appropriation, administrative penalty, criminal prosecution, or any combination thereof.

DEPARTMENT OF NATURAL RESOURCES

June  $\overline{\mathcal{I}}$ , 2019

Gordon W. Fassett, P.E., Director

A copy of this approval was posted on the Department's website. Copies of this approval and plan of reservoir 20370 were provided to the Department's field office in Lincoln, Nebraska. A copy of this approval was mailed to the following:

Anthony D. Duever, P.E. CES Group P.A. 2450 South 6th Street Beatrice, Nebraska 68310 tduever@cesengineering.com

Copies of this approval and plan of reservoir 20370 were mailed on June  $\nearrow$  , 2019, to the following:

Michael J. and Jeanette M. Hoyer 887 Road 4100 Superior, Nebraska 68978